

Kompas and Hoolahoop



Kompas and Hoolahoop

Circles of light. Party of pendants.

About Kompas and Hoolahoop

- One power source with multiple connection points to add up to 12 (!) pendants
- Use Hoolahoop to extend the reach of your luminaires around the ceiling base
- Create your own unique chandelier

Designer: Jeffrey Huyghe





Market segments

- Residential
- Hospitality




Fixtures and Hoolahoop

Combine with:

- Smart ball (2 sizes)
- Smart tubed (3 sizes)
- Marbul (fix/adj)
- Minude
- Tulip
- Placebo (with or without shades)
- Extruded (with single suspension point)










PLACEBO + SOMBRERO



PLACEBO + BEANIE



PLACEBO + BEANIE



PLACEBO



Get creative

Suspension Point

- White or Black Structure
- *Guide your light to the right place*
- Applicable for
 - Placebo (2m or 6m)
 - Marbul (2m or /m on request)
 - Smart ball (2m or /m on request)
 - Smart tubed (2m or /m on request)
 - Minude suspension (2m or 6m)
 - Tulip suspension (2m)



Guiding Point

- White or Black Structure
- Always to be used in combination with a suspension point



Ø 16
48 ↑


Kompas Round Suspension Point + Placebo



Kompas Round Suspension Point + Smart Tube | Ball



Kompas Round Suspension Point + Marbul | Minute




Kompas Round Suspension Point + Tulip



Extruded | Suspension Point for Kompas

- New **suspension kit** to combine **Extruded** with Kompas
 - Black steelcable (2m) is included
- White matt or black struc
- Guide your light to the right place
- Applicable for
 - Extruded 300/600/900



Extruded | Suspension Kit for Kompas Round



Colours and specifications

Black struc / white struc

Kompas and Hoolahoop are sold separately


Driver excluded

Tre dim (350/500mA, 30/60W)

1-10V (350/500mA, 50/100W)

DALI (350/500mA, 50/100W)

Casambi (350/500mA, 50/100W)





DESIGN

CREATE YOUR OWN
CHANDELIER

ONLY USE THE CEILING BASE OR
COMBINE WITH HOOLAHOOP

CHOOSE YOUR FIXTURES



APPLICATION

1 ELECTRICAL CONNECTION
REQUIRED FOR UP TO 12
LUMINAIRES

NO DRILLING, SUITABLE FOR
EXISTING AND RENOVATION
PROJECTS

RESIDENTIAL
HOSPITALITY



TECHNOLOGY

MULTIPLE DIMMING POSIBILITIES

UP TO 12 LUMINAIRES PER
CEILING BASE

Installation

INSTALLATION KOMPAS 1-10V/DALI



INSTALLATION KOMPAS DRIVER EXCLUDED



INSTALLATION KOMPAS TRAILING EDGE



INSTALLATION KOMPAS CASAMBI



INSTALLATION HOOLAHOO









