

Pista



Pista

The next big thing in miniaturization



Profile parts

Colours

SURFACE | SUSPENDED



HIGH SURFACE | SUSPENDED



Recessed: trimless or with flange

Recessed **trimless**



Recessed **with flange**



Linear lighting

LED linear lighting



LED linear
Powerful, general lighting
Black struc / white struc



LED linear NIGHT LIGHT
Ambient, intimate lighting
Black struc


LED linear spots

- 8 or 16 small, powerful LED spots
- Fully integrated in Pista track profile
- Emphasize the thin and slim track profile



Accent lighting

Accent lighting



Médard 42

- Miniaturized version
- Diameter 42 mm
- H 360° V 360°

Designer: Basten Leijh



Colours and product types



Track 48V 1x
Black struc / white struc



Track 48V 2x
Black struc / white struc




Kogel

- Extremely flexible rotation
- Ball joint as a rotation mechanism



Combine as you please




Marbulito

- Miniaturized version of Marbul/Eyeball
- Diameter 41 mm
- H 360° V 50°



Colours and product types




Track 48V 1x
Black struc / white struc




Track 48V 2x
Black struc / white struc




Track 48V suspension 1x
Black struc / white struc



Lens vs reflector




700lm
2100 lux in the center at 1m



330lm
1800 lux in the center at 1m

Marbul


- Sphere with changeable reflector
- Diameter 115mm



Colours and product types



Marbul track 48V




Marbul track suspension 48V



Marbul track suspension adj 48V

Gamin

- A cap with hand-blown glass
- Diameter 90mm



Colours



Minude

- Miniaturized spot with refined and minimalistic look
- Wide range of (anodized) colours
- Deep recessed light source and curved inner side
- Black struc adapter (except for Minude white struc)
(white struc adapter on request)



Colours



Product types



Track 48V 1x



Track 48V 2x



Track 48V suspension 1x

Placebo

- A family of elements inviting you to mix and match
- Handblown 3-layered glass accessories
- 3 accessories to finish it off



Colours



Accessories



Black



Bronze



Champagne



White



Black



Bronze



Champagne



White



Black



Bronze



Champagne



White



Rektor

- Rectangular, adjustable spotlight
- Miniaturized version



Colours and producttypes



Extruded

- Strong lines to bring vertical structure to your space
- Catch light and shadow differently as the hours go by
- Conical lampshade

Designer: Alain Gilles




Colours




Extruded Stripped

- Extruded stripped down to the essence
- No cone, no hook, only 1 cable

Designer: Alain Gilles





Accessories and technical components


Accessories and technical components



Cover



Powerfeed



Endplate



Suspension



Twin suspension



Twin bracket




Connection box




Surf. mounted gear



180° connection



180° rec. mechanical connection



180° susp. mech/ electr. connection



Flexible connection



90° connection



Recessed 90° connection



T connection



X connection



Casambi dim module



Suspension hinge



Curve 90°



Curve 135°




Climate control bracket



Cover

- Clean finish
- White and black struc
- Hides all technical aspects
- To be cut in any length desired


Pista track rail without cover



Pista track rail with cover








Ultra thin (0.8mm)
black steel cable

Adjust the suspension
cables on top of the
track rail

Suspension bracket
in white or black struc



Uplighters are
slightly recessed for
easy configuration

Suspension bracket
can be positioned
as desired by sliding
it over the rail



Combine as you desire





Go for a symmetrical or asymmetrical composition




Create layers of light with general and accent lighting

Power feed

- Power feed left & right



- Electrical 180° connection



- Black or white struc
- Black power feed cable (2m)



Flexible connection



< 90°



90°





> 90°




From surface to wall




90° connection






S
U
R
F
A
C
E



S
U
S
P
E
N
S
I
O
N



90° connection



90° connection



90° connection inside



90° connection inside



90° connection



90° connection outside



90° connection inside



inside



outside

Curved connections

90°

135°



TRACK 48V | MECHANICAL CONNECTION CURVED



PISTA TRACK 48V | MECHANICAL CONNECTION CURVED



90°



135°

Track 48V | T connections

- Electrical/mechanical
- White structure or black structure



**TRACK 48V CONNECTION T ELECTRICAL/MECHANICAL
FOR SURFACE MOUNTING**

- Left
- Right



**TRACK 48V CONNECTION T ELECTRICAL/MECHANICAL
FOR SUSPENDED MOUNTING**

- Left
- Right



**TRACK 48V HIGH CONNECTION T ELECTRICAL/MECHANICAL
FOR SUSPENDED UP/DO MOUNTING**

- Left
- Right



TRACK 48V HIGH CONNECTION T ELECTRICAL/MECHANICAL

- Left
- Right

Track 48V | X connections

- Electrical/mechanical
- White structure or black structure



**TRACK 48V CONNECTION X ELECTRICAL/MECHANICAL
FOR SURFACE MOUNTING**



**TRACK 48V CONNECTION T ELECTRICAL/MECHANICAL
FOR SUSPENDED MOUNTING**





**TRACK 48V HIGH CONNECTION T ELECTRICAL/MECHANICAL
FOR SUSPENDED UP/DOWN MOUNTING**



TRACK 48V HIGH CONNECTION T ELECTRICAL/MECHANICAL

Suspension hinge




Surface mounted LED gear

- 100W or 150W
- Black or white structure
- Suspended with matt black power feed cable



Climate control bracket





Casambi dim module

- Available in black and white
- Can control up to 64 Dali fixtures
- Dimensions: 142,6 x 58,1 x 18 mm
- For indoor use only



Control your luminaires in the **entire house**



1



Track 48V +
dali track spots

2



Click **Casambi track 48V dim module** into the rail

3



Download the **Casambi app**





48V TRACK SYSTEM (dali luminaires)



CASAMBI DIM MODULE



OR

REMOTE INSTALLATION

(e.g. false ceiling, technical room..)



CASAMBI REMOTE DIM
MODULE





Dim 48V track fixtures with 3 wires

HOW IT WORKS (Casambi)


1. Install a Casambi dim module in the 48V track or place it remote
2. Turn on your wall light switches
3. Download the Casambi app and find your lights
4. Optionally add a smart switch

HUE 1-10V






1-10V



DALI





DESIGN

STRAIGHT, ULTRA THIN,
ENDLESS LINES

3 TYPES OF MOUNTING

(A)SYMMETRICAL
CONFIGURATIONS

MINIATURIZED MODULAR DNA



APPLICATION

1 ELECTRICAL POINT FOR
MULTIPLE LIGHT SOURCES

HIGH-END RESIDENTIAL
HOSPITALITY
RETAIL

GENERAL AND ACCENT LIGHTING
POWERFUL OR AMBIENT

CONFIGURABLE: ENDLESS
COMBINATIONS



TECHNOLOGY

MAGNETIC SYSTEM

SMALL SIZES VS POWERFUL
LUMEN PACKAGES

ACCURATE COLOUR RENDERING

TWIN BRACKET

NIGHT LIGHT



















135°

135°

135°

135°





































REKTOR SMALL TRACK 48V | PISTA UP/DO SUSPENDED

REKTOR TRACK 48V | PISTA UP/DO SUSPENDED