



Rektor



Rektor

Guiding the way around your space

About Rektor

- Rectangular, surface-mounted spot
- Sleek, asymmetrical design
- Metal housing cover accent
- Available on track 48V





Market segments

- High-end residential
- Hospitality

Producttypes and mounting



3.1x3.1
Surface 1L



3.1x3.1
Surface 2L



2.2x2.0
Track 48V 1L



2.2x2.0
Track 48V 2L

Size does matter



Dimensions in mm

2.2x2.0 Glass detail



MICROPRISMATIC



FROSTED

2.2x2.0 Optical accessories for enhanced visual comfort



HONEYCOMB




CROSSBLADE



SNOOT

2.2x2.0 Warm dim technology





Great adjustability



Colors

- Black structure +
 - Black structure
 - Brushed alu
 - Chrome
 - Smoked bronze
- White structure +
 - White structure
 - Brushed alu
 - Chrome
 - Smoked bronze




Specifications

Rektor 3.1x3.1 Sf	Rektor 2.2x2.0 Tr 48V	Rektor 2.2x2.0 Tr 48V
2700K - 3000K - 3500K	2700K - 3000K - 3500K	WD 1800K-3000K
25° - 40°		40°
CRI90+		
1500 lm ⁽¹⁾	561 lm ⁽²⁾	379 lm ⁽²⁾
19 W ⁽¹⁾	7 W ⁽²⁾	7 W ⁽²⁾
79 lm/W ⁽¹⁾	80 lm/W ⁽²⁾	54 lm/W ⁽²⁾
Driver Integrated 1% Tre dim/0-10V	0-10V Dali	

(1) 3000K, white struc – brushed alu, 25°, value per lamp unit

(2) 3000K, medium, white structure

(3) WD, flood, microprismatic glass, white structure



Always check our website for the most complete and up to date specifications!



DESIGN

SLEEK, ARCHITECTURAL
RECTANGULAR SHAPE

5 DIFFERENT COVER ACCENTS

HORIZONTAL OR VERTICAL



APPLICATION

SURFACE FIXATION OR MOUNT
ON TRACK 48V

CEILING OR WALL MOUNTED

SINGLE OR DOUBLE ADJUSTABLE
LIGHT SOURCES



TECHNOLOGY

MULTIPLE COLOR
TEMPERATURES

ACCURATE COLOR RENDERING

360° ROTATION AND
90° INCLINATION



REKTOR TRACK 48V | PISTA SURFACE



REKTOR TRACK 48V | PISTA SURFACE



REKTOR TRACK 48V | PISTA SUSPENDED UP/DOWN



REKTOR TRACK 48V | PISTA UP/DO SUSPENDED







