

# Product launch

*March 7, 2023*

# Minude

Recessed (trimless)

Out recessed



Minude  
**Semi Recessed Adjustable**



Minude  
**Suspended**



Minude  
**Jack + Modupoint**




Minude  
**Jack Suspended + Modupoint**




Minude  
Jack + Modupoint Square Surface





Minude  
**Jack + Modupoint Round Surface**





Minude  
**Jack + Modupoint Round Deep Recessed**



Minude  
Track 48V + Pista Track 48V





NEW



Minude  
recessed 56



Minude  
recessed trimless 49




Minude  
out recessed 49


NEW




Minude  
recessed 56



Minude  
recessed trimless 49





Minude  
out recessed 49



## Minude | (out) recessed (trimless)

- 3 new recessed spots
- Lens technology – medium
- 2700K | 3000K
- **Up to 617lm** – 500mA
- Driver excl.
- 6 colors
- Accessory: recessed ring for trimless version





## MINUDE RECESSED

Small size Ø49 - 56

Lens without black color

"Out" version connects with Minude tube

± 600lm

From 150€



## THIMBLE

Large size Ø70 - 74


Lens with black collar

Only recessed versions

± 600lm

From 174€





**ELECTRICAL SPECS LED-FIXTURE**

Drive Current (mA)	Forward Voltage		Power (W)
	min (Vf)	max (Vf)	
350	14,8	18,0	5,7
500	15,2	18,6	8,5

⊕ RED      ⊖ BLACK

For serial connection, respect polarity!  
Not suited for connection to mains voltage.  
Combine with a Modular LED-driver.

Replace protective shield when broken. The luminaire shall only be used complete with its protective shield.  
Reference number: 1014379

**LIGHT SOURCE - DO NOT TOUCH LED**  
Touching the LED can result in permanent damage of the light source. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.


**PREVENTING ELECTROSTATIC DAMAGE**  
A discharge of static electricity may damage sensitive components. Therefore do not touch the LED nor the stripped parts of the wires with bare hands. Always be properly insulated by using ESD gloves.

**DRIVERS & ACCESSORIES**  
For latest version of driver matrix and available accessories check [www.supermodular.com](http://www.supermodular.com) or connect with your sales contact.

02 - 24/01/2023















NEW



1

Drive Current (mA)	Forward Voltage		Power (W)
	min (Vf)	max (Vf)	
350	14,8	18,0	5,7
500	15,2	18,6	8,5

⊕ RED      ⊖ BLACK

For serial connection, respect polarity!  
Not suited for connection to mains voltage.  
Combine with a Modular LED-driver.

2

3

Replace protective shield when broken. The luminaire shall only be used complete with its protective shield.  
Reference number: 1014378

**LIGHT SOURCE - DO NOT TOUCH LED**  
Touching the LED can result in permanent damage of the light source. The light source contained in this luminaire shall only be replaced by the manufacturer or his service agent or a similar qualified person.

**PREVENTING ELECTROSTATIC DAMAGE**  
A discharge of static electricity may damage sensitive components. Therefore do not touch the LED nor the stripped parts of the wires with bare hands. Always be properly insulated by using ESD gloves.




**DRIVERS & ACCESSORIES**  
For latest version of driver matrix and available accessories check [www.supermodular.com](http://www.supermodular.com) or connect with your sales contact.







NEW









# Modupoint

Surface DE



Modupoint  
**Recessed Trimless**



Modupoint  
**Recessed**



Modupoint  
**Recessed**



**Medard Jack**



**Minude Jack Suspended**



**Marbulito Jack Suspended**



**Minude Jack**



**Marbulito Jack**



NEW




## Modupoint | Surface DE

- Ø 45mm x 34.5mm
- 6 colors
- Compatible with all jack fixtures
  - Minude
  - Marbulito
  - Medard
- Surface mounted solution for ceilings that can not be drilled. For example: concrete ceilings.





# Modupoint | Surface DE







NEW















NEW









NEW





# Pista

Hinge suspension

## Pista | suspension hinge



- New accessory
- Should be combined with pista track 48V suspension cable
- Allows installation on sloping ceilings




# Pista | suspension hinge

## HINGE INSTALLATION

1




2




3



4



support the track when  
clicking in and pulling out  
fixtures









# Semih

Track 230V Tre dim



## Semih | Track 230V Trailing Edge

- Upgrade
- Replaces the current Trailing Edge track luminaires
- Different track adapter for both white and black luminaires





