

Product launch


September 15, 2022

ZigBee DALI dim module ZigBee LED driver



LED LUMINAIRE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



DALI LED DRIVER

Use case

Upgrading to smart lighting

APPLICATION

Want to upgrade your existing LED luminaires and DALI drivers with the power of smart lighting?




LED LUMINAIRE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



DALI LED DRIVER



ZIGBEE DALI DIM MODULE

REMOTE INSTALLATION
(e.g. technical room..)



HUE BRIDGE



WI-FI ROUTER



Use case

Upgrading to smart lighting

TECHNOLOGY (Philips Hue with Bridge)

Add a ZigBee DALI dim module, between the 230V power network and the LED driver.



Use case

Linear lighting with remote control


APPLICATION

Adding linear lighting to a space with the flexibility to install the controls remote?




LED LUMINAIRE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



DALI LED DRIVER



ZIGBEE DALI DIM MODULE

REMOTE INSTALLATION
(e.g. technical room..)



HUE BRIDGE



WI-FI ROUTER

Use case

Linear lighting with remote control

TECHNOLOGY (Philips Hue with Bridge)

Add a ZigBee DALI dim module, between the 230V power network and the LED driver.

PHILIPS

personal wireless lighting

NEW



NEW



ZigBee DALI dim module

- connect up to 4 DALI drivers
- can be controlled via the Philips Hue app
- external antenna for optimal connectivity
- remote installation (technical room, false ceiling...)
- suitable for upgrading DALI installations with smart lighting and making DALI dimmable profiles smart



Use case

Build smart


APPLICATION

Building a home from scratch and eager tap into the power of smart lighting?



LED LUMINAIRE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



1-10V LED DRIVER



HUE DIM MODULE

REMOTE INSTALLATION
(e.g. technical room..)



HUE BRIDGE



WI-FI ROUTER

Use case

Build smart

TECHNOLOGY (Philips Hue with Bridge)


Add a Hue 1-10V dim module, between the 230V power network and the LED driver.





LED LUMINAIRE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



ZigBee LED driver

REMOTE INSTALLATION
(e.g. technical room..)



HUE BRIDGE



WI-FI ROUTER

Use case

Build smart

TECHNOLOGY (Philips Hue with Bridge)

Recessed, surface-mounted or suspended fixtures
directly connected to a ZigBee driver..

PHILIPS

personal
wireless
lighting

NEW





ZigBee LED driver

- integrates LED driver and ZigBee technology in one casing
 - easier to install
 - more budget-friendly
- can be controlled via the Philips Hue app
- 350-1050mA 25-60W
- external antenna for optimal connectivity
- remote installation (technical room, false ceiling...)
- suitable for new constructions


Hue/ZigBee controls offered by Modular



Bridge



Dimmer switch



Niko switch



Motion sensor



Outdoor motion sensor



Smart button




Wall switch module



Hue
0/1-10V dim module



ZigBee
Dali dim module



ZigBee
LED driver

Casambi profile dim module



Use case

Smart linear lighting


APPLICATION

You have a 3-wire power supply connected to a wall switch. The driver needs to be integrated into the profile.




PROFILE

REMOTE INSTALLATION
(e.g. false ceiling, technical room..)



DALI LED DRIVER



CASAMBI PROFILE DIM MODULE

REMOTE INSTALLATION
(e.g. technical room..)



HUE BRIDGE



Use case



Smart linear lighting

TECHNOLOGY (Casambi)

Go for SLD50 or SLD50 High in combination with a DALI driver and Casambi profile dim module.



NEW



Casambi profile dim module

- mounted directly in SLD50 and SLD50 High profile
- to be connected to DALI driver
- control via Casambi app or devices of
 - linear LEDLINES
 - LEDSTRIPS
 - eyeballs
- 2 versions
 - 2700K | 3000K | 4000K
 - 2700-6500K tunable white


98564308 - 98564307



Modular DIM



Modular TW






Contact profiles@supermodular.com
for more information


Casambi controls offered by Modular




Casambi switch



1-10V dim module




DALI dim module




TrE dim module




Profile dim module



Casambi driver




Track 48V dim module



Track 48V remote dim module

DALI TW touch panel

**Light regulates
the human body & mind**




Human Centric Lighting

The right light with the right spectral content at the right time



Light regulates our biological clock



Night

Have a good night sleep

- Lowest light levels
- Undisturbed sleep

Dawn

A good start of the day

- Cool light levels
- Raise the energy level

Day

Have a break and refresh

- Cool to warm light
- Decreased light levels

Dusk


Relax and unwind

- Warm light level
- Melatonin production

SLD50 (high) tunable white




SLD50




SLD50 flange

6500K



SLD50 high



SLD50 high flange

2700K


L
I
G
H
T
I
N
G



SLD50



LEDLINE 2700-6500K



DALI driver

C
O
N
T
R
O
L

*DALI
LIGHTING MANAGEMENT SYSTEM*



NEW



DALI tunable white preset touch panel

- DALI-2 touch panel (87,7mm x 87,7mm x 16,5mm), glass front
- adjust intensity & CCT of SLD50 (High)
- 4 presets, OFF & recall last setting
- wall-mounted (can be mounted on electrical connection box)
- requires DALI power supply (13590200)
- suitable for small offices, home offices...

13590000

CCT SLIDER
2700K <-> 6500K
TARGET: BROADCAST

LIGHT LEVEL SLIDER
MIN <-> MAX
TARGET: BROADCAST


PUSHBUTTON
60% LIGHT OUTPUT
CCT = 2700K
TARGET: BROADCAST

PUSHBUTTON
75% LIGHT OUTPUT
CCT = 3000K
TARGET: BROADCAST

PUSHBUTTON
90% LIGHT OUTPUT
CCT = 4000K
TARGET: BROADCAST

PUSHBUTTON
100% LIGHT OUTPUT
CCT = 5000K
TARGET: BROADCAST

PUSHBUTTON
OFF / LAST ACTIVE LEVEL
TARGET: BROADCAST




L
I
G
H
T
I
N
G



SLD50 (high)




LEDLINE 2700-6500K



DALI driver

C
O
N
T
R
O
L

*DALI
LIGHTING MANAGEMENT SYSTEM*



CASAMBI APP



*DALI
TOUCH PANEL*





Kompas Round Suspension Point

Get hooked on more.

Kompas Round | Hoolahoop | Single Suspension Point



Kompas Round



Kompas Round + Hoolahoop




Kompas Round + **single suspension point**

NEW

Single Suspension Point

- New accessory
- White struc or black struc
- *Guide your light to the right place*
- Applicable for
 - **Placebo** (2m or 6m)
 - **Marbul** (2m or /m on request)
 - **Smart ball** (2m or /m on request)
 - **Smart tubed** (2m or /m on request)
 - **Minude suspension** (2m or 6m upcoming)
 - **Tulip suspension** (2m)



NEW






Kompas Round Single Suspension Point + Placebo



Kompas Round Single Suspension Point + Smart Tube | Ball



Kompas Round Single Suspension Point + Marbul | Minute




Kompas Round Single Suspension Point + Tulip



Extruded | Suspension Point for Kompas

- New **suspension kit** to combine **Extruded** with Kompas
 - Black steelcable (2m) is included
- White matt or black struc
- Guide your light to the right place
- Applicable for
 - Extruded 300/600/900





Extruded | Suspension Kit for Kompas Round




Pista Track 48V Recessed Trimless 90° Connection

Pista Track 48V Recessed Trimless 90° Connections


NEW



90° connection



90° inside connection



90° outside connection

90° connection




90° connection



90° connection



90° connection



90° connection inside



90° connection inside



90° connection inside



90° connection inside



90° connection



90° connection outside



90° connection inside





"Design is intelligence made visible."

Alina Wheeler, author

