

Product launch

June 1, 2022

Tetrix

5 designs

Straight


Oblique

Adjustable

Pinhole

Cone

STRAIGHT




STRAIGHT



STRAIGHT
Black chrome

NEW



STRAIGHT

Flange



Honeycomb Ø33



Snoot Ø32



LC Ø44



LC Ø64

STRAIGHT

Flange



Honeycomb Ø33



Snoot Ø32



LC Ø44



LC Ø64

STRAIGHT

Trimless



Honeycomb Ø33



Snoot Ø32



LC Ø44



LC Ø64

STRAIGHT

LC ø44



STRAIGHT
LC ø44





STRAIGHT
LC ø64





STRAIGHT

Snoot

NEW



STRAIGHT Snoot



STRAIGHT
Honeycomb



5 designs

Straight


Oblique

Adjustable


Pinhole

Cone

OBLIQUE



OBLIQUE



OBLIQUE
Black chrome

NEW



OBLIQUE

Flange



Honey Comb Ø33



Snoot Ø32



LC Ø44

OBLIQUE

Flange



Honey Comb Ø33



Snoot Ø32



LC Ø44

OBLIQUE

Trimless



Honey Comb Ø33



Snoot Ø32



LC Ø44

OBLIQUE
Honeycomb



OBLIQUE
Honeycomb

NEW



OBLIQUE
Snoot



OBLIQUE

Snoot

NEW



OBLIQUE Snoot




OBLIQUE

LC ø44



OBLIQUE
LC ø44

NEW



OBLIQUE

LC ø44



OBLIQUE
LC ø44

NEW



5 designs

Straight


Oblique

Adjustable

Pinhole

Cone

ADJUSTABLE



ADJUSTABLE



ADJUSTABLE
Black chrome

NEW



ADJUSTABLE Flange



Honeycomb Ø33



Snoot Ø32

ADJUSTABLE Flange



Honeycomb Ø33



Snoot Ø32

ADJUSTABLE Flange



Honeycomb Ø33



Snoot Ø32

ADJUSTABLE Trimless



Honeycomb Ø33



Snoot Ø32

ADJUSTABLE
Snoot



ADJUSTABLE

Snoot

NEW




ADJUSTABLE
Snoot



ADJUSTABLE Snoot

NEW



ADJUSTABLE
Honeycomb



ADJUSTABLE
Honeycomb



5 designs

Straight


Oblique

Adjustable


Pinhole

Cone

PINHOLE



PINHOLE



5 designs

Straight

Oblique

Adjustable


Pinhole

Cone

CONE



CONE




CONE



CONE
Black chrome

NEW



CONE Flange



Honey Comb Ø33



Snoot Ø32



LC Ø44

CONE

Flange



Honey Comb Ø33

Snoot Ø32

LC Ø44

CONE

Trimless



Honey Comb Ø33

Snoot Ø32

LC Ø44

CONE
LC ø44



CONE
LC ø44

NEW



CONE
Honeycomb



CONE

Snoot



CONE Snoot

NEW



CONE
Snoot

NEW



Novelty overview

Black chrome finish

White optical accessories

Tetrix Flange

Black chrome

NEW



straight



oblique



adjustable



cone



straight



oblique



adjustable



cone

Tetrix Trimless

Black chrome

NEW



straight



oblique



adjustable




cone

Classified

Optical accessories

White matt

NEW



Always black matt inner side to avoid glare!

Price range


Classified

Thimble



171€

Classified



Classified

K-serie



49€

Lotis



125€

Smart



137€

Thimble



171€

Classified

K-serie



49€

Tetrix
oblique | straight



82€

Lotis



125€

Smart



137€

Thimble



171€

Classified

K-serie



49€

Tetrix
oblique | straight



82€

Tetrix
adj | pinhole



92€

Lotis



125€

Smart



137€

Thimble



171€

Classified

K-serie



49€

Tetrix
oblique | straight



82€

Tetrix
adj | pinhole



92€

Tetrix
cone



98€

Lotis



125€

Smart



137€

Thimble



171€

Classified

K-serie



49€

Tetrix
oblique | straight



82€

Tetrix
adj | pinhole



92€

95€



Tetrix
oblique | straight
black chrome

Tetrix
cone



98€

Lotis



125€

Smart




137€

Thimble




171€

Classified



Classified



65€ (Gu10) → 111€

K-serie



49€

Tetrix
oblique | straight



82€

Tetrix
adjustable



92€

95€



Tetrix
oblique | straight
black chrome

Tetrix
cone



98€

106€



Tetrix
adj.
black chrome.

111€



Tetrix
cone
black chrome.

Lotis



125€

Smart



137€

Thimble



171€

Building blocks



Aluminum heatsink for
optimal cooling


High luminous efficacy
of 116 lm/W

TIR lens

Aluminum frontring









Honeycomb Ø33



Snoot Ø32



LC Ø44



LC Ø64



Honeycomb Ø33



Snoot Ø32



LC Ø44



LC Ø64

Optical




REFLECTOR
Smart



TIR LENS
Tetrix




ASPHERICAL LENS
Thimble



REFLECTOR 25°
direct light + reflected light
LED 773 lm
589 lux in the center at 2m

TIR LENS 25°
Total inner reflection
LED 712 lm
753 lux in the center at 2m

ASPHERICAL LENS 30°
Projected light
LED 984 lm
622 lux in the center at 2m



REFLECTOR 25°
Smart



TIR LENS 25°
Tetrix




ASPHERICAL LENS 30°
Thimble

Specifications

Specifications

Tetrix
2700K 3000K 4000K
CRI90+
25° - 40°
IP55
692 lm
7.2 W
96 lm/W
dimnable

(1) 3000K, white, medium, 500mA, Tetrix Oblique



CASAMBI



Always check our website for the most complete and up to date specifications!



Hue retrofit 2700K

2700K
medium
400lm
5.2W
15.000hrs

Dimmable
Direct control via Bluetooth
Add Hue bridge for even more possibilities



Hue retrofit 2200K – 6500K

2200K – 6500K
medium
350lm
5W
15.000hrs

Deep dimmable
Direct control via Bluetooth
Add Hue bridge for even more possibilities


Installation accessories

FALSE CEILING




flange

trimless



frame round



recessed ring

STRUCTURAL CEILING + PLASTER FINISH




flange

trimless



frame round




Conbox + gypkit trimless

EXPOSED CONCRETE CEILING



trimless



Conbox + concrete kit

or



Concrete ring for standard conbox

Duell wall IP

NEW

Duell wall IP

- **Technology upgrade**
 - IP55 LED 230V
 - No glass protection needed





NEW

Duell wall IP

- **Technology upgrade**
 - IP55 LED 230V
 - 3000K | 2700K



NEW

Duell wall IP

- **Technology upgrade**
 - IP55 LED 230V
 - 3000K | 2700K
 - 646lm – 12W
 - Not dimmable



NEW

Duell wall IP

- **Colors**
 - Black structure – gold
 - White structure - champagne

Thank you!